

TUFNER

WEIGHING SYSTEMS



For Prices & Availability

Central Carolina Scale (919) 776-7737

LOAD CELLS



SINGLE-ENDED BEAMS		DOUBLE-ENDED BEAMS	
T310	 Alloy Steel/Stainless Steel IP67/IP68 NTEP 1:5,000 Class III Multiple Cell lb: 100/250/500/750K/ 1K/1.5K/2K/2.5K/4K/5K/ 5K LE/10K/15K/20K	T313	 Alloy Steel/Stainless Steel IP67/IP68 Hermetically/Welded Sealed lb: 1K/1.5K/2K/2.5K/3K/ 5K/10K/15K/20K/25K/35K/ 50K/75K/100K/125K
T317	 Alloy Steel/Stainless Steel IP67 Welded Sealed lb: 10,000	T314	 Alloy Steel/Stainless Steel IP67 Welded Sealed lb: 25,000
T316	 Alloy Steel/Stainless Steel IP67/IP68 NTEP 1:5,000 Class III lb: 30/50/100/250/ 500/600	T320	 Alloy Steel/Stainless Steel IP67/IP68 Hermetically/Welded Sealed lb: 10K/20K/30K/40K/ 50K/60K/100K/150K/ 200K/250K
T318	 Alloy Steel/Stainless Steel IP67 Welded Sealed lb: 5,000	T339	 Alloy Steel/Stainless Steel IP67 lb: 40,000/50,000
T334	 Alloy Steel/Stainless Steel IP67/IP68 Hermetically or Welded Sealed lb: 2.5K/5K/10K/20K	T320	 Alloy Steel/Stainless Steel IP67/IP68 Hermetically/Welded Sealed lb: 10K/20K/30K/40K/ 50K/60K/100K/150K/ 200K/250K
T335	 Alloy Steel/Stainless Steel IP68 NTEP 1:5,000 Class III Multiple Cell lb: 500/750/1K/1.5K/ 2.5K/4K/5K/10K/15K/20K	T342	 Alloy Steel IP67 lb: 20K/40K/50K/60K/ 65K/75K/100K/125K
T337	 Alloy Steel/Stainless Steel IP67/IP68 Hermetically or Welded Sealed lb: 1.25K/2.5K/5K/10K/ 25K/37.5K/50K/60K/75K	T343	 Alloy Steel IP67 lb: 25K/40K/50K/60K/75K/ 100K/125K
S-BEAMS		T345	 Alloy Steel/Stainless Steel IP67/IP68 Hermetically Sealed Alloy Steel lb: 40,000/50,000/60,000 Stainless Steel lb: 75,000/100,000/ 125,000
T312	 Alloy Steel/Stainless Steel IP67/IP68 NTEP 1:10,000, Class III Single Cell lb: 50/100/150/200/250/ 300/500/750/1K/1.5K/2K/ 2.5K/3K/5K/10K/15K/20K	T347	 Alloy Steel IP67 lb: 50,000/60,000

DOUBLE-ENDED BEAMS

T350



Alloy Steel
IP67
NTEP 1:10,000 Class III
Multiple Cell
lb: 10K/20K/25K/40K/
50K/50K LE*/60K/75K/
100K/125K/150K/200K

T353



Alloy Steel
IP67
lb: 50K/65K/100K

T360



Alloy Steel
IP67
tons: 5/10/15/20/25/
30/40/50

SINGLE-POINT BEAMS

T301




Aluminum/Stainless Steel
IP67
kg: 3/5/7/10/15/20/30/
50/75/100

T303



Aluminum/Stainless Steel
IP67
kg: 50/75/100/150/200/
250/300/500/635/1,000

T304



Aluminum/Stainless Steel
IP67
kg: 50/75/100/150/200/
250/300/500/635/1,000

T305



Aluminum/Stainless Steel
IP67
kg: 50/75/100/150/200/
250/300/500/635/800

SINGLE-POINT BEAMS

T306



Aluminum/Stainless Steel
IP67
kg: 50/100/150/200/
250/500/750/1,000/2,000

T308



Aluminum/Stainless Steel
IP67
kg: 50/125/250/625

COMPRESSION CANISTERS

T315



Alloy Steel/Stainless Steel
IP67
Welded Sealed
lb: 10K/25K/50K/75K/
100K/200K/300K/500K

T319



Alloy Steel/Stainless Steel
IP67
lb: 5K/10K/25K/50K/100K

T321



Alloy Steel/Stainless Steel
IP67
Welded Sealed
lb: 50K/100K/120K

T325



Alloy Steel/Stainless Steel
IP67
Hermetically Sealed
tons: 15/20/25/30/40/
50/60

T352




Alloy Steel/Stainless Steel
IP67
lb: 5K/10K/25K/50K/
100K

T366



Alloy Steel/Stainless Steel
IP67
lb: 30,000/50,000

PRODUCT	FEATURES	CAPACITIES
WEIGHING ASSEMBLIES		
T310-TM		
	Alloy Steel Tank Mount IP67	lb: 250/500/1,000/1,500/ 2,000/2,500/4K/5K/5K LE*/ 10K/15K/20K *Large Envelope.
T312-TM		
	Alloy Steel Tank Mount IP67	lb: 50/100/150/200/250/ 300/500/750/1K/1.5K/2K/ 2.5K/3K/5K/10K/15K/20K
T320-TM		
	Alloy Steel Tank Mount IP67	lb: 5K/10K/20K/30K/ 40K/50K/60K/100K/150K/ 200K/250K
T343-TM		
	Alloy Steel Tank Mount IP67	lb: 25K/40K/50K/60K/75K/ 100K/125K
T350-TM		
	Alloy Steel Tank Mount IP67	lb: 20K/25K/30K/40K/ 50K/100K/200K
T352-TM		
	Alloy Steel Tank Mount IP67	lb: 5K/10K/15K/20K/25K/ 35K/50K/60K/75K/100K/ 150K/200K/250K/300K/ 400K/450K